Listing PP - Pharmacokinetics Parameters

Study: Synthetic 2x2 BE study (synthetic data) | Protocol: SYN-BE-001 | 96 record(s), 8 subject(s)

Source: dataset PP as conformed to its specification for the XPT. Numeric values shown with 10 significant digits; the XPT holds the full value. DRAFT - not signed.

STUDYID	DOMAIN	USUBJID	PPSEQ	PPGRPID	PPTESTCD	PPTEST	PPORRES	PPSTRESN	PPSTRESU
SYN-BE-001	PP	SYN-BE-001-001	1	TREATMENT PERIOD 1	CMAX	Max Conc	1627.54	1627.54	ng/mL
SYN-BE-001	PP	SYN-BE-001-001	2	TREATMENT PERIOD 1	TMAX	Time of CMAX Observation	1.5	1.5	h
SYN-BE-001	PP	SYN-BE-001-001	3	TREATMENT PERIOD 1	AUCLST	AUC to Last Nonzero Conc	12479.2	12479.2	h*ng/mL
SYN-BE-001	PP	SYN-BE-001-001	4	TREATMENT PERIOD 1	LAMZ	Lambda z	0.154944	0.154944	/h
SYN-BE-001	PP	SYN-BE-001-001	5	TREATMENT PERIOD 1	LAMZHL	Half-Life Lambda z	4.47353	4.47353	h
SYN-BE-001	PP	SYN-BE-001-001	6	TREATMENT PERIOD 1	AUCIFO	AUC Infinity Obs	12826.5	12826.5	h*ng/mL
SYN-BE-001	PP	SYN-BE-001-001	7	TREATMENT PERIOD 2	CMAX	Max Conc	1654.76	1654.76	ng/mL
SYN-BE-001	PP	SYN-BE-001-001	8	TREATMENT PERIOD 2	TMAX	Time of CMAX Observation	2	2	h
SYN-BE-001	PP	SYN-BE-001-001	9	TREATMENT PERIOD 2	AUCLST	AUC to Last Nonzero Conc	12851.1	12851.1	h*ng/mL
SYN-BE-001	PP	SYN-BE-001-001	10	TREATMENT PERIOD 2	LAMZ	Lambda z	0.154117	0.154117	/h
SYN-BE-001	PP	SYN-BE-001-001	11	TREATMENT PERIOD 2	LAMZHL	Half-Life Lambda z	4.49755	4.49755	h
SYN-BE-001	PP	SYN-BE-001-001	12	TREATMENT PERIOD 2	AUCIFO	AUC Infinity Obs	13214.2	13214.2	h*ng/mL
SYN-BE-001	PP	SYN-BE-001-002	1	TREATMENT PERIOD 1	CMAX	Max Conc	2925.97	2925.97	ng/mL
SYN-BE-001	PP	SYN-BE-001-002	2	TREATMENT PERIOD 1	TMAX	Time of CMAX Observation	2	2	h
SYN-BE-001	PP	SYN-BE-001-002	3	TREATMENT PERIOD 1	AUCLST	AUC to Last Nonzero Conc	24531.6	24531.6	h*ng/mL
SYN-BE-001	PP	SYN-BE-001-002	4	TREATMENT PERIOD 1	LAMZ	Lambda z	0.148661	0.148661	/h
SYN-BE-001	PP	SYN-BE-001-002	5	TREATMENT PERIOD 1	LAMZHL	Half-Life Lambda z	4.6626	4.6626	h
SYN-BE-001	PP	SYN-BE-001-002	6	TREATMENT PERIOD 1	AUCIFO	AUC Infinity Obs	25363.9	25363.9	h*ng/mL
SYN-BE-001	PP	SYN-BE-001-002	7	TREATMENT PERIOD 2	CMAX	Max Conc	2847.56	2847.56	ng/mL

STUDYID	DOMAIN	USUBJID	PPSEQ	PPGRPID	PPTESTCD	PPTEST	PPORRES	PPSTRESN	PPSTRESU
SYN-BE-001	PP	SYN-BE-001-002	8	TREATMENT PERIOD 2	TMAX	Time of CMAX Observation	3	3	h
SYN-BE-001	PP	SYN-BE-001-002	9	TREATMENT PERIOD 2	AUCLST	AUC to Last Nonzero Conc	24749.8	24749.8	h*ng/mL
SYN-BE-001	PP	SYN-BE-001-002	10	TREATMENT PERIOD 2	LAMZ	Lambda z	0.147085	0.147085	/h
SYN-BE-001	PP	SYN-BE-001-002	11	TREATMENT PERIOD 2	LAMZHL	Half-Life Lambda z	4.71255	4.71255	h
SYN-BE-001	PP	SYN-BE-001-002	12	TREATMENT PERIOD 2	AUCIFO	AUC Infinity Obs	25662.3	25662.3	h*ng/mL
SYN-BE-001	PP	SYN-BE-001-003	1	TREATMENT PERIOD 1	CMAX	Max Conc	3539.36	3539.36	ng/mL
SYN-BE-001	PP	SYN-BE-001-003	2	TREATMENT PERIOD 1	TMAX	Time of CMAX Observation	3	3	h
SYN-BE-001	PP	SYN-BE-001-003	3	TREATMENT PERIOD 1	AUCLST	AUC to Last Nonzero Conc	29903.1	29903.1	h*ng/mL
SYN-BE-001	PP	SYN-BE-001-003	4	TREATMENT PERIOD 1	LAMZ	Lambda z	0.16346	0.16346	/h
SYN-BE-001	PP	SYN-BE-001-003	5	TREATMENT PERIOD 1	LAMZHL	Half-Life Lambda z	4.24048	4.24048	h
SYN-BE-001	PP	SYN-BE-001-003	6	TREATMENT PERIOD 1	AUCIFO	AUC Infinity Obs	30633.4	30633.4	h*ng/mL
SYN-BE-001	PP	SYN-BE-001-003	7	TREATMENT PERIOD 2	CMAX	Max Conc	3658.84	3658.84	ng/mL
SYN-BE-001	PP	SYN-BE-001-003	8	TREATMENT PERIOD 2	TMAX	Time of CMAX Observation	2	2	h
SYN-BE-001	PP	SYN-BE-001-003	9	TREATMENT PERIOD 2	AUCLST	AUC to Last Nonzero Conc	30016.8	30016.8	h*ng/mL
SYN-BE-001	PP	SYN-BE-001-003	10	TREATMENT PERIOD 2	LAMZ	Lambda z	0.174488	0.174488	/h
SYN-BE-001	PP	SYN-BE-001-003	11	TREATMENT PERIOD 2	LAMZHL	Half-Life Lambda z	3.97247	3.97247	h
SYN-BE-001	PP	SYN-BE-001-003	12	TREATMENT PERIOD 2	AUCIFO	AUC Infinity Obs	30587.9	30587.9	h*ng/mL
SYN-BE-001	PP	SYN-BE-001-004	1	TREATMENT PERIOD 1	CMAX	Max Conc	1948.07	1948.07	ng/mL
SYN-BE-001	PP	SYN-BE-001-004	2	TREATMENT PERIOD 1	TMAX	Time of CMAX Observation	3	3	h
SYN-BE-001	PP	SYN-BE-001-004	3	TREATMENT PERIOD 1	AUCLST	AUC to Last Nonzero Conc	16876	16876	h*ng/mL
SYN-BE-001	PP	SYN-BE-001-004	4	TREATMENT PERIOD 1	LAMZ	Lambda z	0.17	0.17	/h

STUDYID	DOMAIN	USUBJID	PPSEQ	PPGRPID	PPTESTCD	PPTEST	PPORRES	PPSTRESN	PPSTRESU
SYN-BE-001	PP	SYN-BE-001-004	5	TREATMENT PERIOD 1	LAMZHL	Half-Life Lambda z	4.07733	4.07733	h
SYN-BE-001	PP	SYN-BE-001-004	6	TREATMENT PERIOD 1	AUCIFO	AUC Infinity Obs	17256	17256	h*ng/mL
SYN-BE-001	PP	SYN-BE-001-004	7	TREATMENT PERIOD 2	CMAX	Max Conc	1972.18	1972.18	ng/mL
SYN-BE-001	PP	SYN-BE-001-004	8	TREATMENT PERIOD 2	TMAX	Time of CMAX Observation	1.5	1.5	h
SYN-BE-001	PP	SYN-BE-001-004	9	TREATMENT PERIOD 2	AUCLST	AUC to Last Nonzero Conc	16803.1	16803.1	h*ng/mL
SYN-BE-001	PP	SYN-BE-001-004	10	TREATMENT PERIOD 2	LAMZ	Lambda z	0.179435	0.179435	/h
SYN-BE-001	PP	SYN-BE-001-004	11	TREATMENT PERIOD 2	LAMZHL	Half-Life Lambda z	3.86295	3.86295	h
SYN-BE-001	PP	SYN-BE-001-004	12	TREATMENT PERIOD 2	AUCIFO	AUC Infinity Obs	17103.2	17103.2	h*ng/mL
SYN-BE-001	PP	SYN-BE-001-005	1	TREATMENT PERIOD 1	CMAX	Max Conc	2497.52	2497.52	ng/mL
SYN-BE-001	PP	SYN-BE-001-005	2	TREATMENT PERIOD 1	TMAX	Time of CMAX Observation	1.5	1.5	h
SYN-BE-001	PP	SYN-BE-001-005	3	TREATMENT PERIOD 1	AUCLST	AUC to Last Nonzero Conc	18047.8	18047.8	h*ng/mL
SYN-BE-001	PP	SYN-BE-001-005	4	TREATMENT PERIOD 1	LAMZ	Lambda z	0.174005	0.174005	/h
SYN-BE-001	PP	SYN-BE-001-005	5	TREATMENT PERIOD 1	LAMZHL	Half-Life Lambda z	3.9835	3.9835	h
SYN-BE-001	PP	SYN-BE-001-005	6	TREATMENT PERIOD 1	AUCIFO	AUC Infinity Obs	18371.2	18371.2	h*ng/mL
SYN-BE-001	PP	SYN-BE-001-005	7	TREATMENT PERIOD 2	CMAX	Max Conc	2527.66	2527.66	ng/mL
SYN-BE-001	PP	SYN-BE-001-005	8	TREATMENT PERIOD 2	TMAX	Time of CMAX Observation	1.5	1.5	h
SYN-BE-001	PP	SYN-BE-001-005	9	TREATMENT PERIOD 2	AUCLST	AUC to Last Nonzero Conc	18110.3	18110.3	h*ng/mL
SYN-BE-001	PP	SYN-BE-001-005	10	TREATMENT PERIOD 2	LAMZ	Lambda z	0.179935	0.179935	/h
SYN-BE-001	PP	SYN-BE-001-005	11	TREATMENT PERIOD 2	LAMZHL	Half-Life Lambda z	3.85221	3.85221	h
SYN-BE-001	PP	SYN-BE-001-005	12	TREATMENT PERIOD 2	AUCIFO	AUC Infinity Obs	18393	18393	h*ng/mL
SYN-BE-001	PP	SYN-BE-001-006	1	TREATMENT PERIOD 1	CMAX	Max Conc	2897.97	2897.97	ng/mL

STUDYID	DOMAIN	USUBJID	PPSEQ	PPGRPID	PPTESTCD	PPTEST	PPORRES	PPSTRESN	PPSTRESU
SYN-BE-001	PP	SYN-BE-001-006	2	TREATMENT PERIOD 1	TMAX	Time of CMAX Observation	2	2	h
SYN-BE-001	PP	SYN-BE-001-006	3	TREATMENT PERIOD 1	AUCLST	AUC to Last Nonzero Conc	26692	26692	h*ng/mL
SYN-BE-001	PP	SYN-BE-001-006	4	TREATMENT PERIOD 1	LAMZ	Lambda z	0.114195	0.114195	/h
SYN-BE-001	PP	SYN-BE-001-006	5	TREATMENT PERIOD 1	LAMZHL	Half-Life Lambda z	6.06984	6.06984	h
SYN-BE-001	PP	SYN-BE-001-006	6	TREATMENT PERIOD 1	AUCIFO	AUC Infinity Obs	28643.3	28643.3	h*ng/mL
SYN-BE-001	PP	SYN-BE-001-006	7	TREATMENT PERIOD 2	CMAX	Max Conc	2788.03	2788.03	ng/mL
SYN-BE-001	PP	SYN-BE-001-006	8	TREATMENT PERIOD 2	TMAX	Time of CMAX Observation	1.5	1.5	h
SYN-BE-001	PP	SYN-BE-001-006	9	TREATMENT PERIOD 2	AUCLST	AUC to Last Nonzero Conc	27343.4	27343.4	h*ng/mL
SYN-BE-001	PP	SYN-BE-001-006	10	TREATMENT PERIOD 2	LAMZ	Lambda z	0.115258	0.115258	/h
SYN-BE-001	PP	SYN-BE-001-006	11	TREATMENT PERIOD 2	LAMZHL	Half-Life Lambda z	6.01389	6.01389	h
SYN-BE-001	PP	SYN-BE-001-006	12	TREATMENT PERIOD 2	AUCIFO	AUC Infinity Obs	29429.2	29429.2	h*ng/mL
SYN-BE-001	PP	SYN-BE-001-007	1	TREATMENT PERIOD 1	CMAX	Max Conc	1912.06	1912.06	ng/mL
SYN-BE-001	PP	SYN-BE-001-007	2	TREATMENT PERIOD 1	TMAX	Time of CMAX Observation	1	1	h
SYN-BE-001	PP	SYN-BE-001-007	3	TREATMENT PERIOD 1	AUCLST	AUC to Last Nonzero Conc	14427.9	14427.9	h*ng/mL
SYN-BE-001	PP	SYN-BE-001-007	4	TREATMENT PERIOD 1	LAMZ	Lambda z	0.181063	0.181063	/h
SYN-BE-001	PP	SYN-BE-001-007	5	TREATMENT PERIOD 1	LAMZHL	Half-Life Lambda z	3.8282	3.8282	h
SYN-BE-001	PP	SYN-BE-001-007	6	TREATMENT PERIOD 1	AUCIFO	AUC Infinity Obs	14664.7	14664.7	h*ng/mL
SYN-BE-001	PP	SYN-BE-001-007	7	TREATMENT PERIOD 2	CMAX	Max Conc	1980	1980	ng/mL
SYN-BE-001	PP	SYN-BE-001-007	8	TREATMENT PERIOD 2	TMAX	Time of CMAX Observation	2	2	h
SYN-BE-001	PP	SYN-BE-001-007	9	TREATMENT PERIOD 2	AUCLST	AUC to Last Nonzero Conc	14904.4	14904.4	h*ng/mL
SYN-BE-001	PP	SYN-BE-001-007	10	TREATMENT PERIOD 2	LAMZ	Lambda z	0.179212	0.179212	/h

STUDYID	DOMAIN	USUBJID	PPSEQ	PPGRPID	PPTESTCD	PPTEST	PPORRES	PPSTRESN	PPSTRESU
SYN-BE-001	PP	SYN-BE-001-007	11	TREATMENT PERIOD 2	LAMZHL	Half-Life Lambda z	3.86776	3.86776	h
SYN-BE-001	PP	SYN-BE-001-007	12	TREATMENT PERIOD 2	AUCIFO	AUC Infinity Obs	15144.2	15144.2	h*ng/mL
SYN-BE-001	PP	SYN-BE-001-008	1	TREATMENT PERIOD 1	CMAX	Max Conc	2460.16	2460.16	ng/mL
SYN-BE-001	PP	SYN-BE-001-008	2	TREATMENT PERIOD 1	TMAX	Time of CMAX Observation	2	2	h
SYN-BE-001	PP	SYN-BE-001-008	3	TREATMENT PERIOD 1	AUCLST	AUC to Last Nonzero Conc	22431.4	22431.4	h*ng/mL
SYN-BE-001	PP	SYN-BE-001-008	4	TREATMENT PERIOD 1	LAMZ	Lambda z	0.136155	0.136155	/h
SYN-BE-001	PP	SYN-BE-001-008	5	TREATMENT PERIOD 1	LAMZHL	Half-Life Lambda z	5.09088	5.09088	h
SYN-BE-001	PP	SYN-BE-001-008	6	TREATMENT PERIOD 1	AUCIFO	AUC Infinity Obs	23494.3	23494.3	h*ng/mL
SYN-BE-001	PP	SYN-BE-001-008	7	TREATMENT PERIOD 2	CMAX	Max Conc	2505.59	2505.59	ng/mL
SYN-BE-001	PP	SYN-BE-001-008	8	TREATMENT PERIOD 2	TMAX	Time of CMAX Observation	3	3	h
SYN-BE-001	PP	SYN-BE-001-008	9	TREATMENT PERIOD 2	AUCLST	AUC to Last Nonzero Conc	22614.1	22614.1	h*ng/mL
SYN-BE-001	PP	SYN-BE-001-008	10	TREATMENT PERIOD 2	LAMZ	Lambda z	0.12701	0.12701	/h
SYN-BE-001	PP	SYN-BE-001-008	11	TREATMENT PERIOD 2	LAMZHL	Half-Life Lambda z	5.4574	5.4574	h
SYN-BE-001	PP	SYN-BE-001-008	12	TREATMENT PERIOD 2	AUCIFO	AUC Infinity Obs	23871.5	23871.5	h*ng/mL